Friday, 16/01/2009 10:01:33 AM

User:

Julie Dawson

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 44873B

Estimate Number

: 10193

P.O. Number

This Issue

: 16/01/2009

: NC

: // : 43785B

: LARGE FAB ASSY Type

Part Number

Drawing Name

: D2512

Drawing Number

: D2512 REVE : N/A

: 350/212/130 BASKET LID

Project Number **Drawing Revision**

; E

Material

Due Date

: 26/01/2009

Qty:

1 Um: Each

Written By

Prsht Rev.

First Issue

Previous Run

Checked & Approved By

Comment

: Rev Est:M 03.01.31

S.O. No. :

Added D2012-117 for D130-701-041 KJ/

RF

Est Rev:N 06.04.05

Added level21

Est Rev:O 08-08-29 Est Rev:P 08-09-24

revE as per dwg DD verified by:EC plug holes prior to powder coating DD

verified by:EC

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

M304TS0750W065

304 SQ Tube .75x.75x.065W



Comment: Qty.:

Total: 45.7594 f(s)/Unit

45.7594 f(s)

15,92 m 110561 17,6846 m110011

3/4"x3/4" 304/316 SS tube .065" wall

7110335 12.151

Batch:

Basket Hoop



2.0

D31663

Comment: Qty.:

1.0000 Each(s)/Unit

Total::

1.0000 Each(s)

Pick:

Qty Part Number

D3166-3

Description

Batch

34405

3.0

D2506

Basket Hoop

Label Plate

Comment: Qty.:

1.0000 Each(s)/Unit Total:

1.0000 Each(s)

Pick:

Qty Part Number

Description

1 D2506

Label Plate

Batch 139457 -> 1x

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
		?								
		• • • • • • • • • • • • • • • • • • •								
			,							

Part No:		PAR #:	Fault Category:	 NCR: Yes No	DQA:	Date:	
	Resolution:		Disposition:	 QA: N/C Closed	l :	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		QC Inspector			
		••									
							, ,				

NOTE: Date & initial all entries

Date: Friday, 16/01/2009 10:01:33 AM User: , Julie Dawson **Process Sheet** Drawing Name: 350/212/130 BASKET LID Customer: CU-DAR001 Dart Helicopters Services Job Number: 44873B Part Number: D2512 Job Number: Seq. #: Description: Machine Or Operation: 4.0 Spacer Bushing D23271 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description 2 D2327-1 Bushing 5.0 D22321 Basket Hinge Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description <u>394</u>54 → 2, 2 D2232-1 Hinge plate D2581 Mounting Bracket 6.0 Comment: Qty.: 2.0000 Each(s)/Unit Total: 2.0000 Each(s) Pick: **Qty Part Number** Description B43800 2 D2581 Mounting Bracket 7.0 M304EX07516F Expanded Metal Flat SS Comment: Qty.: 18.0000 sf(s)/Unit Total: 18.0000 sf(s) Pick: **Qty Part Number** Description Batch M 09/02/02 M304EX0.75-16F Expanded Metal 8.0 LARGE FAB 1 Comment: LARGE FABRICATION RESOURCE 1 1-Cut 3/4" x 3/4" square tubing as per Dwg D2512 🖊 2-Cut (4) D2236 From D3166-3 🗸 3-Drill holes in D2512-1 as per Dwg D2512 using Drill Jig DT8305 🗸 5-Weld as per Dwg D2512 using Welding Table and corner Jig Deburr as required 🖊

Dart Ae	rospace	e Ltd							
W/O:			V	VORK ORDER CHANGE	S				
DATE STEP			PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		:	•						
		,							
			***************************************						,
Part No:		PAR #:	_ Fault Ca	tegory:	NCR: Yes	No DQ	A :	_ Date: _	
	R	esolution:	_ Disposit	ion:	QA: N/C Cld	osed:		Date: _	
NCR:		W	ORK OR	DER NON-CONFORMA	NCE (NCR)			
		Description of NC	Corrective Action Section	n B	Verifi	cation	tion Approval App	Approval	
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		Section C	Chief Eng	QC Inspector
			k						
,									

NOTE: Date & initial all entries

Friday, 16/01/2009 10:01:33 AM Date: User: , Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: 350/212/130 BASKET LID Job Number: 44873B Part Number: D2512 Job Number: Seq. #: **Machine Or Operation:** Description: VISUAL WELDING INSPECTION 9.0 QC9 **Comment: VISUAL WELDING INSPECTION** 10.0 QC6 Comment: DIMENSIONAL CHECK POWDER COATING 11.0 POWDER COATING m109996 Comment: POWDER COATING 1- Plug holes in D2581 and in D2327-1 bushing prior to powder coating 2- Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 1ST COAT: START TIME: OVEN TEMPERATURE: FINISH TIME: 2ND COAT: START TIME: **OVEN TEMPERATURE:** FINISH TIME: 12.0 HAND FINISHING Spray pant Comment: HAND FINISHING RESOURCE #1 Wing Walk and Spray Paint black as per Dwg D2512 and QSI 005 4.4 www Batch: INSPECT POWDER COAT/CHEMICAL CONVERSION 13.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING PACKAGING RESOURCE #1 14.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location:

Dart Aerospace Ltd

W/O·

W/O.		WORK ORDER CHANGES									
DATE STEP		PRO	CEDURE CHANGE	Ву	By Date C		Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No	:	PAR #:	Fault Category:	NCR: Y	es No D (QA:	Date: _				
	R	esolution:	Disposition:	QA: N/0	Closed: _		Date: _				

WORK ORDER CHANGES

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC	Corrective Action Section B					A			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspecto			
								:			
NATE. D	hata O imitial a	II						<u></u>			
NOTE: D	ate & initial a	II entries						<u>.</u>			

Date:

Friday, 16/01/2009 10:01:33 AM

User: , Julie Dawson

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: 350/212/130 BASKET LID

Job Number: 44873B

Part Number: D2512

Job Number:



Seq. #:

Machine Or Operation:

Description:

15.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

Job Completion



mr 09-02-05


Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDUR	E CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
	i										
,											
	l t										
Part No):	PAR #: Fau	It Category:N	CR: Yes	No DQ	\:	Date:				
	R	esolution: Dis	position: Q	A: N/C (Closed:		Date: _				


NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B		Verification	Approval Chief Eng	Approval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C		QC Inspecto			
								Į.			
					 						
						,		<u> </u>			
NOTE: D	ate & initia	l all entries			•	1		<u> </u>			


PARTS LIST FOR D2512 BASKET LID ASSEMBLY

PART NO	QUANTITY	LENGTH A	LENGTH B	DESCRIPTION
D2512-1	2		25.50	RIB
D2512-3	2		95.30	RIB
D2512-5	6	30.84		RIB
D2512-7	3	30.63	-	RIB
D2232-1	2	N/A	N/A	HINGE PLATE
D2236	4	N/A	N/A	RIB
D2327-1	2	N/A	N/A	BUSHING
D2506	1	N/A	N/A	LABEL PLATE
D2581	2	N/A	N/A	MOUNTING BRACKET











D2512-1/-3/-5/-7 NOTES:

- 1) MATERIAL: AISI 304/316 SS, 3/4 X 3/4 X 0.065 WALL SQUARE TUBING REF. DART SPEC M304TS0.750W.065
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: N/A
- 8) CUT LENGTH/SHAPE PER DIAGRAM AND PARTS LIST

APPLICATION OF THE PROPERTY OF A BIFCT TO AMENDMENT

E INCORPORATED D1 & D2. MATERIAL FOR -1, -3, -5, & -7 WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED. C CHANGE HINGE C REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP DEO 9074 B ADDED LATCH CHANNEL & LABEL PLATE BW 96.05.24 A NEW ISSUE BW 95.11.21 REV. DESCRIPTION BY DATE	DECICN		Diai	DADTAFROOD	405	
E WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED. D CHANGE HINGE CP 01.04.19 C REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP DEO 9074 B ADDED LATCH CHANNEL & LABEL PLATE BW 96.05.24	REV.			DESCRIPTION	BY	DATE
E WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED. D CHANGE HINGE CP 01.04.19 C REMOVE DOUBLE SKIN SECTION, ADDED MEMBERS, INCORP DEO 9074	A	NEW IS	SSUE	BW	95.11.21	
WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED. D CHANGE HINGE CP 01.04.19 C REMOVE DOUBLE SKIN SECTION, DS 99.07.06	В	ADDED LATCH CHANNEL & LABEL PLATE				96.05.24
WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH MATERIAL CALLOUT UPDATED.	С			•	DS	99.07.06
WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED FROM 95.30 DIM. DRAWING TRANSFERED TO "B" FORMAT AND UPADTED TO CURRENT STANDARDS. SHT 3 VIEWS INVERTED FOR CLARITY. SHT 2 MESH WAS 0.060 WALL. SHT 3 ZN C4 TOLERANCE REMOVED 6.08.06.17	D	CHANG	SE HINGE	СР	01.04.19	
	E	WAS 0. FROM: FORMA SHT 3.	060 WALL. SH 95.30 DIM. DRA AT AND UPADT VIEWS INVERT	IT 3 ZN C4 TOLERANCE REMOVED AWING TRANSFERED TO "B" IED TO CURRENT STANDARDS. IED FOR CLARITY. SHT 2 MESH	SLA	08.06.17

DESIGN	\\$vv					
DRAWN	AJS					
CHECKED						
MFG. APPR.	XX					
APPROVED	1117					
DE APPR.	-					
DATE 08.06.17						

DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO.

REV. E D2512 SHEET 1 OF 4 TITLE SCALE

BASKET LID ASSEMBLY (350/212) COPYRIGHT © 1995 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT 10 BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO MAY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART ARROSPACE LTD.

5

8


3


SHOP COPY BETURNTO

ENGINEERING

VITHOUT NOTICE

В





TRIM MESH AS REQUIRED TO ALLOW D2232-1 HINGE PLATE TO SIT FLUSH ON FRAME D2232-1 D HINGE PLATE DRILL 3/8 HOLE AND (TYP BOTH ENDS) **INSTALL D2327-1 USING CLOSEST SPACE IN** EXPANDED METAL FOR HOLE LOCATION **BOTH ENDS** 8.00 DETAIL E С С + 1.19 → D2327-1 VIEW C-C SIMILAR BOTH END RIBS A5-2 TO CENTER OF BASKET В **EXPANDED METAL** 4.00 **DETAIL E** C6-4 2X 3 PL DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DESIGN BW SECTION D-D SAME BOTH CENTER RIBS A4-2 DRAWN CHECKED DRAWING NO. REV. E D2512 MFG. APPR. SHEET 4 OF 4 **APPROVED** TITLE SCALE BASKET LID ASSEMBLY (350/212) DE APPR. COPYRIGHT © 1995 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON
WRITTEN PERMISSION FROM DART AEROSPACE LTD. 08.06.17 2 3 8